




CONSTRUCTION NOTES:
 1. SUCTION AND DISCHARGE HEADERS ARE GROOVED ON BOTH ENDS.
 2. SYSTEM DESIGNED FOR INDOOR INSTALLATION.



RIGHT-END VIEW



TOP VIEW



FRONT VIEW

TOTAL DISCHARGE PRESSURE		TOTAL SYSTEM CAPACITY	
-GPM	-PSI	-GPM	-PSI
10	-	10	-
9	-	9	-
8	-	8	-
7	-	7	-
6	-	6	-
5	-	5	-
4	-	4	-

ITEM	TAG	MANUFACTURER	SERIES	MODEL	GPM	TDH	HP	RPM	ENCLOSURE	
4	P-3	GOULDS	ESV	15SVR-4	-	-	7 1/2	3500	H60 / 60 / 3	TEFC P.E.
3	P-2	GOULDS	ESV	15SVR-4	-	-	7 1/2	3500	H60 / 60 / 3	TEFC P.E.
2	P-1	GOULDS	ESV	15SVR-4	-	-	7 1/2	3500	H60 / 60 / 3	TEFC P.E.

ITEM	QTY	TAG	DESCRIPTION
10	-	-	-
9	-	-	-
8	-	-	-
7	-	-	-
6	6	-	LUG TYPE BUTTERFLY VALVE - 2"
5	3	-	VAL-MATIC WAFER CHECK VALVE - 2"
4	1	P-3	GOULDS ESV MULTI-STAGE PUMP MODEL 15SVR-4
3	1	P-2	GOULDS ESV MULTI-STAGE PUMP MODEL 15SVR-4
2	1	P-1	GOULDS ESV MULTI-STAGE PUMP MODEL 15SVR-4
1	1	-	VARIABLE SPEED PUMP CONTROL PANEL

EQUIPMENT SCHEDULE	
PROJECT NAME:	
CUSTOMER:	
DRAWN BY DATE:	CHECKED BY APPROVED BY
ACD 07/07/16	
TOLERANCES UNLESS OTHERWISE SPECIFIED	
DEC. .500"	SCALE 1" = 1'-0"
FAC. 1/2"	ANGLE 5"
SIZE 1'-10"	
REV A	

THIS DRAWING AND THE INFORMATION SPECIFIED THEREIN IS THE PROPERTY OF FLOWTHERM SYSTEMS, A DIVISION OF CHC. COPIES ARE ISSUED IN STRICT CONFIDENCE AND SHALL NOT BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF CHC.

LISTED
 PACKAGED PUMPING SYSTEMS
 & HEAT TRANSFER SYSTEMS

UL

APPROXIMATE SHIPPING WEIGHT: 1,039 LBS.
 APPROXIMATE OPERATING WEIGHT: 1,106 LBS.

GENERAL NOTES:
 (1) SINGLE POINT POWER CONNECTION AT CONTROL PANEL.
 (2) HYDRO PRESSURE CHECK AT 125 PSI.
 (3) ASSEMBLED SYSTEM TO BE PAINTED WITH INDUSTRIAL MACHINE ENAMEL PRIOR TO SHIPMENT.

= DENOTES CONTRACTOR POINT OF CONNECTION

RELIEF VALVES AND ANCHORAGE TO BE IN COMPLIANCE WITH LOCAL CODES AND ANY SEISMIC REQUIREMENTS.

RELIEF VALVES AND EQUIPMENT DRAINS TO BE PIPED TO DRAIN OR VENT BY CONTRACTOR PER CODE REQUIREMENT

FLOWTHERM systems
 HAYWARD, CALIFORNIA

VARIABLE SPEED TRIPLEX PRESSURE BOOSTER
 DRAWING NO. FW3-BSL
 FAB NO. FW3-BSL